Syllabus for the Trade of "Electricial Power sector" (TRADE: ELECTRICIAN) Duration : Six Month

First Semester Semester Code: EL: SEM I

Week No.	Trade Practical	Trade Theory
1	Implementation in the shop floor of the various safety measures. Visit to the different sections of the Institute. Demonstration on elementary first aid. Artificial Respiration Practice on use of fire extinguishers.	Occupational Safety and Health Basic safety introduction, Personal protection. Basic injury prevention, Basic first aid, Hazard identification and avoidance, safety signs for Danger, Warning, caution and personal safety message. Use of Fire extinguishers. Visit and observation of sections. Various safety measures involved in the Industry. Elementary first Aid. Concept of Standard.
2	Demonstration of Trade hand tools. Identification of simple types- screws, nuts & bolts, chassis, clamps, rivets etc. Use, care and maintenance of various hand tools.	Identification of Trade-Hand tools- Specifications , Uses and their care maintenance.
3	Practice in using cutting pliers, screw drivers, etc. skinning the cables and jointing practice on single strand and multi stranded conductor. Demonstration and Practice on bare conductors joints such as Britannia, straight, T, Western union Joints	Fundamental of electricity. Electron theory- free electron, Fundamental terms, definitions, units and effects of electric current Explanation, Definition and properties of conductors, insulators and semi-conductors . Wires/cable & its specification. Types of wire joints & uses.
4	Practice on soldering & Brazing. Measurement of Resistance. Determination of specific Resistance.	Solders, flux and soldering technique. Brazing. Types & properties of resistors Specific Resistance.
5-6	Verification of Ohm's Law, Verification of Kirchoff's Laws. Verification of laws of series, parallel and combination circuits.	Ohm's Law - Simple electrical circuits and problems. Resistors -Laws of Resistance. Series, parallel and combination circuits.

	Verification of open circuit	Kirchoff's Laws and applications. Wheatstone
	and closed circuit network.	bridge principle and its applications.
	Measuring unknown resistance using different	Effect of variation of temperature on resistance.
	methods-	Different methods of measuring the values of
	a) Using Wheatstone Bridge	resistance.
	b) By voltage drop method.	
	Experiment to demonstrate	
	the variation of resistance of	
	a metal with the change in	
	temperature.	Later heating of National Floatsian Conde
7	Demonstration and identification of types of	Introduction of National Electrical Code Voltage grading of different types of Insulators,
	cables.	Temp. Rise permissible.
	Demonstration and practice	Types of wires and cables standard wire gauge.
	on using standard wire	Specification of wires and Cables-insulation and
	gauge & micrometer.	voltage grades -Low , medium and high voltage
	Practice on crimping	Precautions in using various types of
	thimbles, Lugs.	cables / Ferrules
8	Identification and use	Common Electrical wiring Accessories, their
	of wiring accessories	specifications in line with NEC -
	Practice on installation	Explanation of switches, lamp holders, plugs
	and overhauling common electrical accessories.	and sockets. Developments of domestic circuits, Alarm & switches,
	Fixing of switches, holder	Use & specification of Fire alarm, MCB, ELCB,
	plugs etc. in wooden/PVC/	MCCB.
	Metallic boards.	
9 - 11	Grouping of Dry cells for a	Chemical effect of electric current-
	specified voltage and current.	Principle of electrolysis. Faraday's Law of electrolysis.
	Practice on Battery	Basic principles of Electroplating
	Charging, Preparation of	and Electro chemical equivalents.
	battery charging, Testing of	Explanation of Anodes and Cathodes.
	cells, Installation of	Cells - Primary & Secondary
	batteries, Charging of	Lead acid cell-description, methods of
	batteries by different	charging-Precautions to be taken & testing
	methods.	equipment,
	Charging of a Lead acid	Ni-cadmium & Lithium cell, Cathodic
	cell, filling of electrolytes-	protection.
	Testing of charging .checking of discharged and	Electroplating, Anodising. Different types of lead acid cells.
	fully charged battery.	Application of battery/cell in Inverter, Battery
	Care and maintenance of	Charger, UPS, etc.
	Batteries	Lead Acid cell, general defects and
		remedies.
		Nickel Alkali Cell-description charging.
		Power and capacity of cells. Efficiency of cells.
		Rechargeable dry cell, description
		advantages and disadvantages.
		Care and maintenance of cells

		Grouping of cells of specified voltage and current, Sealed Maintenance free Batteries, Solar battery.
12-13	<u>ALLIED TRADES:</u> Marking use of chisels and hacksaw on flats, sheet metal filing practice, filing true to line. Sawing and planning practice. Practice in using firmer chisel and preparing simple half lap joint.	Introduction of fitting trade. Safety precautions to be observed Description of files, hammers, chisels hacksaw frames and blades- their specification and grades. Care and maintenance of steel rule, try square and files. Marking tools description and use. Description of carpenter's common hand tools such as saws planes, chisels mallet claw hammer, marking, dividing and holding tools-their care and maintenance.
14	Drilling practice in hand drilling and power drilling machines. Grinding practice Practice in using taps and dies, threading hexagonal and square nuts etc. cutting external threads on stud and on pipes, riveting practice.	Types of drills description and drilling machines, proper use, care and maintenance. Description of taps and dies, types of rivets and riveted joints. Use of thread gauge.
15	Practice in using snips, marking and cutting of straight and curved pieces in sheet metals. Bending the edges of sheets metals. Riveting practice in sheet metal. Practice in making different joints in sheet metal in soldering the joints.	Description of marking and cutting tools such as snubs shears punches and other tools like hammers, mallets, etc. used by sheet metal workers. Different types soldering materials, fluxes and process. Types of different soldering irons and their proper uses. Use of different bench tools used by sheet metal worker.
16-17	Trace the magnetic field. Assembly / winding of a simple electro magnet. Use of magnetic compass. Identification of different types of Capacitors. Charging and discharging of capacitor, Testing of Capacitors using DC voltage and lamp.	Magnetism - classification of magnets, methods of magnetising, magnetic materials. Properties, care and maintenance. Para and Diamagnetism and Ferro magnetic materials. Principle of electro-magnetism, Maxwell's corkscrew rule, Fleming's left and right hand rules, Magnetic field of current carrying conductors, loop and solenoid. MMF, Flux density, reluctance. B.H. curve, Hysteresis, Eddy current. Principle of electro-magnetic Induction, Faraday's Law, Lenz's Law. Electrostatics: Capacitor- Different types, functions and uses.
18-19	Determine the characteristics of RL,RC and	Alternating Current -Comparison and Advantages D.C and A.C. Related terms
L	characteristics of RE, RC allu	Auvantages D.C and A.C. Related terms

	RLC in A.C. Circuits both in series and parallel. Experiment on poly phase circuits. Current, voltage, power and power facor measurement in single & poly- phase circuits. Measurement of energy in single and poly-phase circuits. - Use of phase sequence meter.	frequency Instantaneous value, R.M.S. value Average value, Peak factor, form factor. Generation of sine wave, phase and phase difference. Inductive and Capacitive reactance Impedance (Z), power factor (p.f). Active and Reactive power, Simple problems on A.C. circuits, single phase and three-phase system etc. Problems on A.C. circuits. Power consumption in series and parallel, P.F. etc. Concept three-phase Star and Delta connection. Line and phase voltage, current and power in a 3 phase circuits with balanced and unbalanced load.
20	Practice on Earthing - different methods of earthing. Measurement of Earth resistance by earth tester. Testing of Earth Leakage by ELCB and relay.	Earthing - Principle of different methods of earthing. i.e. Pipe, Plate, etc Importance of Earthing. Improving of earth resistance Earth Leakage circuit breaker (ELCB). In absence of latest revision in respective BIS provision for Earthing it is recommended to follow IEC guidelines.
21	Determine the resistance by Colour coding Identification of active/passive components. Diodes -symbol - Tests - Construct & Test Half wave rectifier ckt. Full wave rectifier ckt. Bridge rectifier ckt.	Basic electronics- Semiconductor energy level, atomic structure 'P' type and 'N' type. Type of materials –P-N-junction. Classification of Diodes – Reverse and Forward Bias, Heat sink. Specification of Diode PIV rating. Explanation and importance of D.C. rectifier circuit. Half wave, Full wave and Bridge circuit. Filter circuits-passive filter.
22-23	Indu	strial visit / project work
24-25		NCVT EXAMINATION
26	Semester Gap	

LIST OF TOOLS and EQUIPMENT

	TOOL KIT			
SI.	Name of the items	Quantity	Remarks	
No.	-			
1	Steel Tape, 15 m length	17 Nos.	Sr. No. 1 to	
2	Plier Insulated, 150 mm	17 Nos.	18 tool	
3	Plier Side Cutting, 150 mm	17 Nos.	kits to be	
4	Screw Driver, 100 mm	17 Nos.	Common	
5	Screw Driver, 150 mm	17 Nos.	for 1 to 4	
	Electrician Connector, screw driver insulated		semesters.	
6	handle thin stem, 100 mm	17 Nos.		
7	Heavy Duty Screw Driver , 200 mm	17 Nos.		
	Electrician Screw Driver thin stem insulated			
8	handle, 250 mm	17 Nos.		
9	Punch Centre , 150 mm X 9 mm	17 Nos.		
10	Knife Double Bladed Electrician	17 Nos.		
11	Neon Tester	17 Nos.		
12	Steel Rule 300 mm	17 Nos.		
13	Hammer, cross peen with handle	17 Nos.		
14	Hammer, ball peen With handle	17 Nos.		
15	Gimlet 6 mm.	17 Nos.		
16	Bradawl	17 Nos.		
17	Scriber (Knurled centre position)	17 Nos.		
18	Pincer 150 mm	17 Nos.		
<u>NOTE</u> : For 2 nd Unit of the Trade, only Trainees Tool Kit (from Sl No-1 to 18) is required additionally.				

A. TRAINEES TOOL KIT FOR 16 TRAINEES +1 INSTRUCTOR

B. SHOP TOOLS, INSTRUMENTS and MACHINERY

1	C- Clamp 200 mm, 150 mm and 100 mm	2 Nos each	Common for 1 to 4
		2 Nos	semesters.
2	Spanner Adjustable 150 mm,300mm	each	
3	Blow lamp 0.5 ltr	1	
4	Melting Pot	1	
5	Ladel	1No	
6	Chisel Cold firmer 25 mm X 200 mm	2	Common
7	Chisel 25 mm and 6 mm	2 Nos each	for 1 to 4 semesters.
8	Hand Drill Machine	1	
9	Portable Electric Drill Machine 6 mm capacity	1	
10	Pillar Electric Drill Machine 12 mm capacity	1	
11	Allen Key	1 set	
12	Oil Can 0.12 ltr	1	
13	Grease Gun	1 No	
14	Out Side Micrometer	2	Common

			for 1 to 3 semesters.
15	Motorised Bench Grinder	1	Common
16	Rawl plug tool and bit	2 set	for 1 to 4
17	Pully Puller	2 300	semesters.
18	Bearing Puller	2	
19	Pipe vice	4	-
20	Thermometer 0 to 100 deg Centigrade	1 No.	-
20		1110.	Common
			for 1 & 3
21	Scissors blade 150 mm	4 Nos.	semesters
22	Crimping Tool	2 sets	Common
23	Wire stripper 20 cm	2 Sets 2 Nos.	for 1 to 4
24	Chisel Cold flat 12 mm	2 Nos.	semesters.
25	Mallet hard wood 0.50 kg	4 Nos.	
26	Hammer Extractor type 0.40 kg	4 Nos.	-
20	Hammer Extractor type 0.40 kg	2 Nos.	-
27	Hacksaw frame 200 mm 300 mm adjustable	each	
21		each	Common
			for 1 to 3
			semesters.
28	Try Square 150 mm blade	4 Nos.	Semester S.
20	Try Square 150 min blade	2 Nos.	
29	Outside and Inside Divider Calliper	each	
30	Pliers flat nose 150 mm	4 Nos.	Common
31	Pliers round nose 100 mm	4 Nos.	for 1 to 4
51		+ 1103.	semesters.
32	Tweezers 100 mm	4 Nos.	
			Common
			for 1, & 3
		2 Nos.	semesters.
33	Snip Straight and Bent 150 mm	each	
34	D.E. metric Spanner	2 Nos.	Common
35	Drill hand brace	4 Nos.	for 1 to 4
36	Drill S.S. Twist block 2 mm, 5 mm 6 mm set of 3	4 Set	semesters.
		2 Nos.	
37	Plane, smoothing cutters 50 mm	each	4
38	Gauge, wire imperial	2 Nos.	4
39	File flat 200 mm 2 nd cut	8 Nos.	4
40	File half round 200 mm 2 nd cut	4 Nos.	
41	File round 200 mm 2 nd cut	4 Nos.	
42	File flat 150 mm rough	4 Nos.]
43	File flat 250 mm bastard	4 Nos.]
44	File flat 250 mm smooth	4 Nos.	
45	File Rasp, half round 200 mm bastard	4 Nos.	
		2 Nos.	
46	Soldering Iron 25 watt, 65 watt, 125 watt	each	
47	Copper bit soldering iron 0.25 kg.	2 Nos.	
48	Desoldering Gun	4 Nos.	Common
49	Hand Vice 50 mm jaw	4 Nos.	for 1 to 4
50	Table Vice 100 mm jaw	8 Nos.	semesters.

51	Pipe Cutter to cut pipes upto 5 cm. dia	4 Nos.	Common
52	Pipe Cutter to cut pipes above 5 cm dia		
53	Stock and Die set for 20 mm to 50 mm G.I. pipe	1 set	semesters.
54	Stock and Dies conduit	1 No.	
		2 Nos.	Common
55	Ohm Meter; Series Type & Shunt Type	each	for 1 to 4
	Multi Meter (analog) 0 to 1000 M Ohms, 2.5 to 500		semesters.
56	V	2 Nos.	
57	Digital Multi Meter	6 Nos.	
58	A.C. Voltmeter M.I. 0 –500V A.C	1 No.	
59	Milli Voltmeter centre zero 100 – 0 – 100 m volt	1 No.	
60	D.C. Milli ammeter 0 -500m A	1 No.	
61	Ammeter MC 0-5 A, 0- 25 A	1 No. each	
62	A.C. Ammeter M.I. 0-5A, 0-25 A	1 No. each	
63	Kilo Wattmeter 0-1-3 kw	1 No.	
	A.C. Energy Meter, Single phase 5 amp. Three	1 No. each	
64	Phase 15 amp		
65	Power Factor Meter	1 No.	
66	Frequency Meter	1 No.	
67	Flux meter	1 No.	
68	Wheat Stone Bridge with galvanometer and battery	1 No.	
69	Laboratory Type Induction Coil	1 No.	
70	DC Power Supply 0-30V, 2 amp	1 No.	Common
	Rheostat	1 No. each	for 1, to 3
	0 -1 Ohm, 5 Amp		semesters.
	0 -10 Ohm, 5 Amp		
	0- 25 Ohm, 1 Amp		
71	0- 300 Ohm, 1 Amp		
		1 No.	Common
			for 1 to 4
70			semesters.
72	1 Phase Variable Auto Transformer		
73	Battery Charger	1 No.	
74	Hydrometer	1 No.	0
75	Miniature Breaker 16 amp (Raw Material)	1 No.	Common
76	Working Bench 2.5 m x 1.20 m x 0.75 m	4 Nos.	for 1 to 4
77	Fire Extinguisher CO ₂ , 2 KG	2 Nos.	semesters.
78	Fire Buckets	2 Nos.	
	: The items which are available in the market near entioned above may be procured.	est of the sp	ecification

FURNITURE :

SI. No.	Name of the items	Quantity	Remarks
1	Instructor's table	1 No.	Common
2	Instructor's chair	2 Nos.	for 1 to 4
3	Metal Rack 100cm x 150cm x 45cm	4 Nos.	semesters
4	Lockers with 16 drawers standard size	2 Nos.	
5	Almirah 2.5 m x 1.20 m x 0.5 m	1 No.	
6	Black board/white board	1 No.	

Syllabus for the Trade of "Electrician" Duration : Six Month

Second Semester Semester Code: ELE: SEM II

Week No.	Trade practical	Trade Theory
1-2	Different wave shapes of rectifiers and their values using C.R.O. Identification of terminals, construction & Testing of transistor. Assembly and testing of a single stage Amplifier and checking using an oscilloscope.	Working principle and uses of an oscilloscope. Explanation of principle of working of a transistor & configuration. Types of transistors & its application. Specification and rating of transistors. Explanation of transistor Amplifiers, Amplifiers. – class A,B and C Power amplifier
3-4	Measure Voltage, current & wave shape of oscillator using CRO. Simple circuits containing U.J.T. for triggering, FET as an amplifier and Power control circuits by S.C.R. and Diac, triac, I.G.B.T. Logic gates and circuits.	Explanation of oscillator-working principle Explanation of stages and types. Multivibrator – applications. Introduction of basic concept of ICs, U.J.T., F.E.T. Basic concept of power electronics devices e.g. S.C.R., Diac, Triac, power MOSFET, G.T.O and I.G.B.T. Digital Electronics -Binary numbers, logic gates and combinational circuits,
5-6	Practice in casing, Capping. Conduit wiring with minimum to more number of points. Use of two way switches. Testing of wiring installation by meggar. -Fixing of calling bells/buzzers. -Making of test boards & extension boards Identification & demonstration on conduits and accessories & their uses, cutting , threading & laying Installation, Testing, Maintenance and Repairing of wiring.	Electric wirings, I.E. rules. Types of wirings both domestic and industrial. Specifications for wiring. Grading of cables and current ratings. Principle of laying out in domestic wiring. Voltage drop concept. Wiring system - P.V.C., concealed system. Maintenance and Repairing data sheet preparation. Specifications, standards for conduits and accessories - Power Wiring - Control Wiring - Information Communication - Entertainment Wiring. Testing of wiring installation by meggar.
7	Application of fuses, relay, MCB, ELCB.	Study of Fuses, Relays, Miniature circuit breakers (MCB), ELCB, etc.

8-9	Identification of the parts of a D.C. machine. Connection of shunt Generators Voltages build up in DC Shunt Generator (OCC) Measurement of voltages, Demonstration on field excitation.	 D.C. Machines - General concept of Electrical Machines. Principle of D.C. generator. Use of Armature, Field Coil, Polarity, Yoke, Cooling Fan, Commutator, slip ring Brushes, Laminated core. Explanation of D.C. Generators-types, parts. E.M.F. equation-self excitation and separately excited Generators-Practical uses. Brief description of series, shunt and compound generators.
10-11	Connection of compound Generator, Voltage measurement, cumulative and differential –No Load and Load characteristics of Series, Shunt and Compound Generator. Controlling and protecting DC Generator.	Explanation of Armature reaction, inter poles and their uses, connection of inter poles, Commutation. Losses & Efficiency of D.C.Generator, Parallel Operation of D.C.Generator. Application of D.C. generators. Care, Routine & preventive maintenance.
	Practicing dismantling and assembling in D.C. Machine.	
12-13	Identification of parts and terminals of DC motors. Connection, starting, running of DC motors using Starters. Characteristics curve of DC motors. Practical application of D.C. motors.	DC Motors - Terms used in D.C. motor- Torque, Brake Torque, speed, Back-e.m.f. etc. and their relations, Types of D.C.Motor. Starters used in D.C. motors Related problems Characteristics of D.C.Motor, Losses & Efficiency, Application of D.C. motors. Care, Routine & preventive maintenance.
14	Speed control of DC motors by voltage, field, armature & Word-Leonard system.	Types of speed control of DC motors in industry. Control system. AC-DC, DC-DC control.
15-18	Identification of types of transformers. Connection of transformers, Transformation ratio, OC (No-load) and SC (short circuit) tests, efficiencies of transformers, testing of transformer, parallel operation of transformer. Use of Current Transformer (C.T.) and Potential	Working principle of Transformer . classification C.T., P.T. Instrument and Auto Transformer(Variac), Construction, Single phase and Poly phase. E.M.F. equation, parallel operation of transformer, their connections. Regulation and efficiency. Type of Cooling for transformer. Protective devices. Specifications, simple problems on e.m.f. Equation, turn ratio, regulations and

19-21	(Voltage) transformer (P.T.) Testing of single phase and Three Phase Transformers - Cleaning, maintenance, testing and changing of oil. Single and three phase connection. Identify the type of Instruments. Use of -P MMC , MI meter, Multi-meter(Digital/Analog) , Wattmeter, P F meter, Energy meter, Frequency meter, Calibration of - Multi-meter Phase sequence meter, Digital Instruments, etc Calibration of Energy meter.	efficiency. Special transformers. Transformer – Classification of transformer. Components, Auxiliary parts i.e. breather, Conservator, buchholze relay, other protective devices. Transformer oil testing and Tap changer (off load and on load). Dry type transformer. Bushings and termination. Electrical Measuring Instruments - -types, indicating types. Deflecting torque, Controlling torque and Damping torque , PMMC & MI meter (Ammeter, Voltmeter) -Range extension -Multimeter (Digital/Analog) -Wattmeter - P.F. meter - Energy meter (Digital/analog) -Insulation Tester (Megger), Earth tester. -Frequency meter -Phase Sequence meter -Multimeter –Analog and Digital -Tong tester - Techometer. rial visit / project work
22-23	Industrial visit / project work	
24-25	NCVT EXAMINATION	
26	Semester Gap	

CTS Second Semester: Electrician

SHOP TOOLS, INSTRUMENTS and MACHINERY

SI. No.	Name of the items	Quantity	Remarks
	Tashomatar	1 No.	Common for 2 to 4
1	Tachometer Current Transformer	1 No.	semesters
2	415 Volt,50 Hz, CT Ratio 150 / 5 Amp, 5VA	1 NO.	
	Potential Transformer	1 No.	
3	415 Volt,50Hz, PT Ratio 11KV/ 110V, 10VA		
4	Growler	1 No.	Common
5	Tong Tester / Clamp Meter 0 – 100 amp. AC	1 No.	for 2 to 4
6	Megger 500 volts	1 No.	semesters
7	Contactor & auxiliary contacts 3 phase, 440volt, 16amp (Raw Material)	1 No. each	
8	Contactor & auxiliary contacts 3 phase, 440 volt, 32 amp. (Raw Material)	1 No. each	
9	Limit Switch (Raw Material)	1 No.	
10	Rotary Switch 16 A (Raw Material)	1 No.	
11	Load Bank 5 KW(Lamp / heater Type)	1 No.	
		1 No.	Common for 2 & 3
12	Brake Test arrangement with two spring balance 0 to 25 kg rating		semesters
12	Knife Switch DPDT fitted with fuse terminals 16 amp	4 Nos.	Common
13	(Raw Material)	- NO3.	for 2 to 4
14	Knife Switch TPDT fitted with fuse terminals 16 amp (Raw Material)	4 Nos.	semesters
14	Voltage Stabiliser	1 No.	
	Input: 150 – 230 volt AC	1 110.	
15	Output: 220 volt AC		
16	3- point D.C. Starter	1 No.	
17	4- point D.C. Starter	1 No.	
	Electrical Machine Trainer –	1 for 8	Common
	Suitable for demonstrating the construction and	(4+4)	for 2 to 4
	functioning of different types of DC machines and AC	Units	semesters
	machines (single phase and three phase). Should be		
10	fitted with friction brake arrangement, dynamo		
18	meter, instrument panel and power supply unit	4 N	
	Motor-Generator (AC to DC) consisting of :	1 No.	
	Squirrel Cage Induction Motor with star delta starter		
	and directly coupled to DC shunt generator and		
	switch board mounted with regulator, air breaker, ammeter, voltmeter, knife blade switches and fuses,		
	set complete with case iron and plate, fixing bolts,		
	foundation bolts and flexible coupling.		
	Induction Motor rating: 7 HP, 400V, 50 cycles, 3 phase		
19	DC Shunt Generator rating: 5 KW, 440V		
20	Used DC Generators-series, shunt and compound type	1 No. each	

	for overhauling practice			
21	D.C. Shunt Generator with control panel, 2.5 KW, 220V	1 No.		
	D.C. Compound Generator with control panel	1 No.		
	including fitted rheostat, voltmeter, ammeter and			
22	breaker, 2.5 KW, 220 V			
	Diesel Generator Set with change over switch, over	1 No.	Common	
	current breaker and water-cooled with armature,		for 2 to 4	
23	star-delta connections AC 3 phase, 5 KVA, 240 volt		semesters	
	DC Series Motor coupled with mechanical load 0.5 to	1 No.	Common	
24	2 KW, 220 Volts		for 2 & 4	
25	DC Shunt Motor 2 to 2.5 KW, 220 volts	1 No.	semesters	
	DC compound Motor with starter and switch 2 to 2.5	1 No.		
26	KW ,220 volts			
	Single phase Transformer, core type, air cooled	1 No.		
27	1 KVA , 240/415 V, 50 Hz			
	Three phase transformer, shell type oil cooled	1 No.		
20	with all mounting 3 KVA , 415/240 V, 50 Hz ,			
28	(Delta/Star)		-	
29	Oscilloscope Dual Trace, 30 MHZ	1 No.		
30	Function Generator	1 No.		
31	Discrete Component Trainer	1 No.		
32	Linear I.C. Trainer	1 No.		
33	Digital I.C. Trainer	1 No.		
	Oil Testing Kit	1 No.	Common	
			for 2 & 4	
34 semesters				
Note: The items which are available in the market nearest of the specification				
	as mentioned above may be procured.			
Sl no. 18, Electrical Machine trainer up to 8 (4+4) units- one no.				
SI no. 19 to 34 for 4(2+2) units no additional items are required.				

Syllabus for the Trade of "Electrician" Duration : Six Month

Third Semester

Semester Code: ELE: SEM III

Week	er Code: ELE: SEM III Trade practical	Trade Theory
no.		
1-3	Identification of parts and terminals of AC motors. Connection, starting, running of AC motors using Starters. Measurement of slip, P.F. at various loads. Practice on connection of D.O.L Starter, Star /Delta starter, Autotransformer starter, Rotor resistance starter, etc Speed control of Induction motors by various methods. Practical application of	Three phase Induction motor – Working principle –Production of rotating magnetic field, Squirrel Cage Induction motor, Slip-ring induction motor. Construction , characteristics and Speed control, Slip & Torque . Control & Power circuit of starters D.O.L Starter, Star /Delta starter, Autotransformer starter, Rotor resistance starter, etc Single phasing preventer. Losses & efficiency. Application of Induction Motor Care, Routine & preventive maintenance.
	A.C. motors.	
4-5	Connection of single phase motor, identification, testing, running and reversing. Identification, connection, testing, running and reversing of universal motor. Repulsion motor, stepper motor.	Single phase induction motor- Working principle, different method of starting and running (capacitor start, permanent capacitor, capacitor start & run, shaded pole technique). FHP motors, Repulsion motor, stepper motor, Hysteresis motor, Reluctance motor. Application of Single phase induction motor Universal motor-advantages, Principle, characteristics, applications in domestic and industrial appliances, Fault Location and Rectification. Braking system of motor. Application of Universal motor.
6-7	Identification of parts and terminals of Alternator. Connection, starting, running of Alternator. Practical application of Alternator. Practice on alternators, voltage Building, load characteristic, voltage regulation, Parallel operation. Practice on installation, running and maintenance of Alternators.	Alternator Explanation of alternator, types of prime mover, efficiency, regulations, phase sequence, Parallel operation. Specification of alternators and Brushless alternator. Verify the effect of changing the field excitation and Power factor correction of Industrial load.

0	Identification of narts and	SYNCHRONOUS MOTOR -
8	Identification of parts and terminals of Synchronous	
	terminals of Synchronous	Working principle, effect of change of excitation and load.
	motor.	
	Connection, starting, running of	V and anti V curve.
	Synchronous motor.	
	Plot V curve.	Cause of low power factor.
	Practical application of	Method of power factor improvement.
	Synchronous motor.	
9	Starting, running, building up	Rotary Converter - Inverter, M.G. Set
	voltage and loading of Motor	description, Characteristics, specifications-
	Generator (MG) set.	running and Maintenance.
	Maintenance of MG Sets.	Solid state controller and Invertors.
	Solid state controller and	
	Invertors- Operation and Use	
10	Practice on winding of small	TRANSFORMER Winding , Small
	Transformers.	Transformer winding techniques
11-12	Testing of burnt DC machine for	DC machine Winding Armature
	rewinding – collection of data –	winding terms, pole pitch, coil pitch, back
	developed diagram and	pitch, front pitch , Lap and Wave winding ,
	connection – winding	Progressive and retrogressive
	procedure	Winding, developed diagram.
	Making frame(forma), coil	Growler construction, working &
	insulation, Slot insulation,	application.
	Insertion of coils in slots, coil	
	connection,	
	Practice on armature winding,	
	Growler testing, Baking,	
	Impregnation and	
	Varnishing & assembling.	
13-15	Testing of burnt motor for	AC machine Winding— Motor winding
13-13	rewinding – collection of data –	terminology – classification of conducting
	developed diagram and	and insulating materials used in winding –
		Types and methods of winding in single
	connection – winding	
	procedure	and three phase motors.
	Making frame(forma), coil	
	insulation, Slot insulation,	
	Insertion of coils in slots, coil	
	connection, Practice on single &	Stator winding terms, coil side, end coil
	double layer, concentric	and grouping of coils. Connection to
	Winding,	adjacent poles, connected stator winding,
	Winding of table & ceiling fans,	alternate pole connection, developed
	single phase and three phase	diagram.
	motors – testing of wound	
	motor	
	Baking, impregnating and	
	varnishing & assembling.	

16-17	Installation of - Mercury & Sodium vapours (H.P. & L.P.) Halogen Lamps Single FL tube and twin FL tube. Practice on decoration lighting Principle of layout of lighting installation. Practice on photo cells.	Illumination, Laws of Illuminations, terminology used, Illumination factors, intensity of light –importance of light, human eye factor, , units. Types of illumination Type of lamps -Neon sign Halogen, Mercury vapour, sodium vapour, Fluorescent tube, CFL, LED, Solar lamp & photo cell applications, Decoration lighting, Drum Switches, efficiency in lumens per watt, Calculations of lumens. Estimating placement of lights, fans and ratings.
18-19	Practice on wiring of electric motor, control panel, etc. Trace/Test of different circuit Breakers. Protective and control relays, contactors, etc. Operation and use of XLPE cables.	Industrial wiring. Code of practice and relevant span. Wiring of electric motors, control panel, etc. Types, specifications, advantages of different types of circuit brackets construction and maintenance. Working principle and construction of domestic and agricultural appliances-their maintenance.
20-21	Practice of wiring Maintenance of institute, hostel, hotel, residential building. Layout and repairing of workshop electrical installation. Fault finding practice	Complete House-wiring layout. Splitting load wire in accordance with NEC I.E.E. Rules. Multi-storeyed system. Fault finding and trouble shooting.
	Industrial visit / project work	
24-25	NCVI	Γ EXAMINATION
26	Semester Gap	

CTS Third Semester: Electrician

SHOP TOOLS, INSTRUMENTS and MACHINERY

1 Hygrometer 1 set a. Cut out Relays 1 No. each b. Reverse current 1 No. each for 3 & 4 2 d. Under voltage 1 No. each 3 d. Under voltage 1 No. each 4 0. Beverse current 1 No. each 5 3. Cover current 1 No. each 6 Starters for 2 to 5 H.P. A.C Motors 1 No. each 7 3. d. Auto Transformer type 1 No. each 8 Motor Generator (DC to AC) set consisting of - Shunt 1 No. 9 Motor Generator (DC to AC) set consisting of - Shunt 1 No. 10 Motor Generator (DC to AC) set consisting of - Shunt 1 No. 11 Motor Generator (DC to AC) set consisting of - Shunt 1 No. 12 Motor Generator with exciter and switch directly coupled to AC generator with exciter and switch board 15 Motor rating : 5 HP, 440V AC Generator rating : 3 -Phase, 4 wire, 3.5 KVA, 4 14 400/230 Volts, 0.8 pf.50 cycles 1 No. 1 No. 16 switch 5 HP, 400 volts, 3-phase, 50 cycles 1 No. 1 No. 16 switch 5 HP, 400 volts, 3-phase, 50 cycles 1 No. 1 No.	SI. No.	Name of the items	Quantity	Remarks
a. Cut out Relays1 No. each for 3 & 4b. Reverse current c. Over current1 No. each for 3 & 42d. Under voltage1 No. each a. Resistance type starter b. Direct on line Starter c. Star Delta Starter- manual, semi-automatic and automatic1 No. each a. Resistance type starter c. Star Delta Starter- manual, semi-automatic and automatic1 No. each a. Auto Transformer type3d. Auto Transformer type1 No.Motor Generator(DC to AC) set consisting of - Shunt 	1	Hygrometer	1 set	
b. Reverse currentsemesters2d. Under voltage1 No. each3Starters for 2 to 5 H.P. A.C Motors1 No. eacha. Resistance type starterb. Direct on line Starter1 No. eachb. Direct on line Starterc. Star Delta Starter- manual, semi-automatic and automatic1 No.3d. Auto Transformer type1 No.Motor Generator (DC to AC) set consisting of - Shunt Motor with starting compensator and switch directly coupled to AC generator with exciter and switch board mounted with regulator, breaker, ammeter, voltmeter frequency meter, knife blade switch and fuses etc. Set complete with cast iron bed plate, fixing bolts, foundation bolts and flexible coupling. Shunt Motor rating : 3 -Phase, 4 wire, 3.5 KVA,1 No.4400/230 Volts, 0.8 pf, 50cycles1AC Squirrel Cage Motor with star delta starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase1 No.5,400 volts, 50 cycles1AC. Series type Motor with mechanical load ¼ HP, 230V, 50 Hz1 No.8HP 230 volt 50 cycles19cycles ¼ HP110Stepper Motor with Digital Controller1 No.11Shaded Pole Motor1 No.				Common
c. Over current2d. Under voltageStarters for 2 to 5 H.P. A.C Motorsa. Resistance type starterb. Direct on line Starter1 No. eacha. Resistance type starter1 No. eachb. Direct on line Starterautomatic3d. Auto Transformer typeMotor Generator (DC to AC) set consisting of - Shunt1 No.Motor with starting compensator and switch directlycoupled to AC generator with exciter and switch boardmounted with regulator, breaker, ammeter, voltmeterfrequency meter, knife blade switch and fuses etc. Setcomplete with cast iron bed plate, fixing bolts,foundation bolts and flexible coupling.Shunt Motor rating : 3-Phase, 4 wire, 3.5 KVA,44400/230 Volts, 0.8 pf, 50cyclesAC Squirrel Cage Motor with start delta starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase1 No.5,400 volts, 50 cyclesA.C. Series type Motor with mechanical load ¼ HP, 230V, 50 Hz1 No.Single Phase Capacitor Motor with starter switch 1 Universal Motor with Starter/switch 230 volt, 501 No.8HP 230 volt 50 cycles1 No.10Stepper Motor with Digital Controller1 No.11Shaded Pole Motor1 No.		Relays		for 3 & 4
2d. Under voltageStarters for 2 to 5 H.P. A.C Motors a. Resistance type starter b. Direct on line Starter c. Star Delta Starter-manual, semi-automatic and automatic1 No. each3d. Auto Transformer type1Motor Generator(DC to AC) set consisting of - Shunt Motor with starting compensator and switch directly coupled to AC generator with exciter and switch board mounted with regulator, breaker, ammeter, voltmeter frequency meter, knife blade switch and fuses etc. Set complete with cast iron bed plate, fixing bolts, foundation bolts and flexible coupling. Shunt Motor rating : 5 HP, 440V AC Generator rating : 3-Phase, 4 wire, 3.5 KVA,1 No.4400/230 Volts, 0.8 pf, 50cycles1AC Squirrel Cage Motor with start delta starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase15,400 volts, 50 cycles1AC. Series type Motor with mechanical load ¼ HP, 230V, 50 Hz11Single Phase Capacitor Motor with starter switch 1 Universal Motor with starter/switch 230 volt, 501No.8HP 230 volt 50 cycles1No.9cycles ¼ HP1No.10Stepper Motor with Digital Controller1No.11Shaded Pole Motor1No.		b. Reverse current		semesters
Starters for 2 to 5 H.P. A.C Motors a. Resistance type starter b. Direct on line Starter c. Star Delta Starter - manual, semi-automatic and automatic1 No. each3d. Auto Transformer type		c. Over current		
a. Resistance type starter b. Direct on line Starter c. Star Delta Starter- manual, Semi-automatic and automatic3d. Auto Transformer typeMotor Generator(DC to AC) set consisting of - Shunt Motor with starting compensator and switch directly coupled to AC generator with exciter and switch board mounted with regulator, breaker, ammeter, voltmeter frequency meter, knife blade switch and fuses etc. Set complete with cast iron bed plate, fixing bolts, foundation bolts and flexible coupling. Shunt Motor rating : 5 HP, 440V AC Generator rating : 3-Phase, 4 wire, 3.5 KVA, 4 400/230 Volts, 0.8 pf, 50 cyclesAC Squirrel Cage Motor with star delta starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase5,400 volts, 50 cyclesAC phase-wound slip ring Motor with starter and triple pole iron clad switch mechanical load ¼ HP, 230V, 50 Hz8HP 230 volt 50 cycles9cycles ¼ HP10Stepper Motor with Digital Controller11Shaded Pole Motor11Shaded Pole Motor	2	d. Under voltage		
b. Direct on line StarterImage: c. Star Delta Starter - manual, semi-automatic and automatic3d. Auto Transformer typeMotor Generator (DC to AC) set consisting of - Shunt1 No.Motor with starting compensator and switch directlycoupled to AC generator with exciter and switch boardmounted with regulator, breaker, ammeter, voltmeterfrequency meter, knife blade switch and fuses etc. Setcomplete with cast iron bed plate, fixing bolts,foundation bolts and flexible coupling.Shunt Motor rating : 5 HP, 440VAC Generator rating : 3-Phase, 4 wire, 3.5 KVA,4400/230 Volts, 0.8 pf, 50 cyclesAC Squirrel Cage Motor with star delta starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase1 No.5,400 volts, 50 cyclesA C phase-wound slip ring Motor with starter and triple pole iron clad switch fuse. 3 cycles1 No.6switch 5 HP, 400 volts, 3-phase, 50 cyclesA. C. Series type Motor with mechanical load ¼ HP, 230V, 50 Hz1 No.8HP 230 volt 50 cycles1 No.9cycles ¼ HP110Stepper Motor with Digital Controller1 No.11Shaded Pole Motor1 No.		Starters for 2 to 5 H.P. A.C Motors	1 No. each	
c. Star Delta Starter - manual, semi-automatic and automatic3d. Auto Transformer typeMotor Generator(DC to AC) set consisting of - Shunt Motor with starting compensator and switch directly coupled to AC generator with exciter and switch board mounted with regulator, breaker, ammeter, voltmeter frequency meter, knife blade switch and fuses etc. Set complete with cast iron bed plate, fixing bolts, foundation bolts and flexible coupling. Shunt Motor rating : 5 HP, 440V AC Generator rating : 3-Phase, 4 wire, 3.5 KVA,4400/230 Volts, 0.8 pf, 50cycles5,400 volts, 50 cycles6switch 50 cycles7AC spase-wound slip ring Motor with starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase5,400 volts, 50 cyclesAC. Series type Motor with mechanical load ¼ HP, 3 Single Phase Capacitor Motor with starter switch 1 Single Phase Capacitor With starter/switch 230 volt, 50 Single Phase Capacitor Motor with starter switch 1 <td></td> <td></td> <td></td> <td></td>				
automatic3d. Auto Transformer typeMotor Generator(DC to AC) set consisting of - Shunt Motor with starting compensator and switch directly coupled to AC generator with exciter and switch board mounted with regulator, breaker, ammeter, voltmeter 				
3d. Auto Transformer typeMotor Generator(DC to AC) set consisting of - Shunt Motor with starting compensator and switch directly coupled to AC generator with exciter and switch board mounted with regulator, breaker, ammeter, voltmeter frequency meter, knife blade switch and fuses etc. Set complete with cast iron bed plate, fixing bolts, foundation bolts and flexible coupling. Shunt Motor rating : 5 HP, 440V AC Generator rating : 3-Phase, 4 wire, 3.5 KVA,4400/230 Volts, 0.8 pf, 50 cycles5,400 volts, 50 cycles5,400 volts, 50 cycles6switch 5 HP, 400 volts, 3-phase, 50 cycles6switch 5 HP, 400 volts, 3-phase, 50 cycles7230V, 50 Hz8HP 230 volt 50 cycles9cycles ¼ HP10Stepper Motor with bigital Controller11Shaded Pole Motor11Shaded Pole Motor				
Motor Generator (DC to AC) set consisting of - Shunt Motor with starting compensator and switch directly coupled to AC generator with exciter and switch board mounted with regulator, breaker, ammeter, voltmeter frequency meter, knife blade switch and fuses etc. Set complete with cast iron bed plate, fixing bolts, foundation bolts and flexible coupling. Shunt Motor rating : 5 HP, 440V AC Generator rating : 3-Phase, 4 wire, 3.5 KVA,1 No.4400/230 Volts, 0.8 pf, 50cycles1 No.5,400 volts, 50 cycles1 No.6switch 5 HP, 400 volts, 3-phase, 50 cycles1 No.7230V, 50 Hz1 No.8HP 230 volt 50 cycles1 No.9cycles ¼ HP1 No.10Stepper Motor with Digital Controller1 No.11Shaded Pole Motor1 No.				
Motor with starting compensator and switch directly coupled to AC generator with exciter and switch board mounted with regulator, breaker, ammeter, voltmeter frequency meter, knife blade switch and fuses etc. Set complete with cast iron bed plate, fixing bolts, foundation bolts and flexible coupling. Shunt Motor rating : 5 HP, 440V AC Generator rating : 3-Phase, 4 wire, 3.5 KVA,4400/230 Volts, 0.8 pf, 50cyclesAC Squirrel Cage Motor with star delta starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase5,400 volts, 50 cyclesAC phase-wound slip ring Motor with starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase5,400 volts, 50 cyclesAC phase-wound slip ring Motor with starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase5,400 volts, 50 cyclesAC phase-wound slip ring Motor with starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase5,400 volts, 50 cyclesAC series type Motor with mechanical load ¼ HP, 230 volt 50 cycles1Single Phase Capacitor Motor with starter switch 1 Universal Motor with starter/switch 230 volt, 50 cycles ¼ HP10Stepper Motor with Digital Controller11Shaded Pole Motor	3			
coupled to AC generator with exciter and switch board mounted with regulator, breaker, ammeter, voltmeter frequency meter, knife blade switch and fuses etc. Set complete with cast iron bed plate, fixing bolts, foundation bolts and flexible coupling. Shunt Motor rating : 5 HP, 440V AC Generator rating : 3-Phase, 4 wire, 3.5 KVA,4400/230 Volts, 0.8 pf, 50cyclesAC Squirrel Cage Motor with star delta starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase5,400 volts, 50 cyclesAC phase-wound slip ring Motor with starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase6switch 5 HP, 400 volts, 3-phase, 50 cyclesAC. Series type Motor with mechanical load ¼ HP, 230V, 50 Hz7230V, 50 Hz8HP 230 volt 50 cycles9cycles ¼ HP10Stepper Motor with Digital Controller11Shaded Pole Motor		Motor Generator(DC to AC) set consisting of - Shunt	1 No.	
mounted with regulator, breaker, ammeter, voltmeter frequency meter, knife blade switch and fuses etc. Set complete with cast iron bed plate, fixing bolts, foundation bolts and flexible coupling. Shunt Motor rating : 5 HP, 440V AC Generator rating : 3-Phase, 4 wire, 3.5 KVA,4400/230 Volts, 0.8 pf, 50cyclesA400/230 Volts, 0.8 pf, 50cyclesAC Squirrel Cage Motor with star delta starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase1 No.5,400 volts, 50 cyclesAC phase-wound slip ring Motor with starter and switch 5 HP, 400 volts, 3-phase, 50 cycles1 No.6switch 5 HP, 400 volts, 3-phase, 50 cyclesA.C. Series type Motor with mechanical load ¼ HP, Single Phase Capacitor Motor with starter switch 11 No.8HP 230 volt 50 cycles		Motor with starting compensator and switch directly		
frequency meter, knife blade switch and fuses etc. Set complete with cast iron bed plate, fixing bolts, foundation bolts and flexible coupling. Shunt Motor rating : 5 HP, 440V AC Generator rating : 3-Phase, 4 wire, 3.5 KVA,4400/230 Volts, 0.8 pf, 50cyclesAC Squirrel Cage Motor with star delta starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase5,400 volts, 50 cyclesAC phase-wound slip ring Motor with starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase6switch 5 HP, 400 volts, 3-phase, 50 cyclesAC phase-wound slip ring Motor with starter and triple Phase Capacitor Motor with starter switch 1 Single Phase Capacitor Motor with starter switch 1 Universal Motor with starter/switch 230 volt, 509cycles ¼ HP10Stepper Motor with Digital Controller 1 No.11Shaded Pole Motor		coupled to AC generator with exciter and switch board		
complete with cast iron bed plate, fixing bolts, foundation bolts and flexible coupling. Shunt Motor rating : 5 HP, 440V AC Generator rating : 3-Phase, 4 wire, 3.5 KVA,4400/230 Volts, 0.8 pf, 50cyclesAC Squirrel Cage Motor with star delta starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase5,400 volts, 50 cyclesAC phase-wound slip ring Motor with starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase6switch 5 HP, 400 volts, 3-phase, 50 cyclesAC. Series type Motor with mechanical load ¼ HP, Single Phase Capacitor Motor with starter switch 17230V, 50 Hz0Stepper Motor with starter/switch 230 volt, 509cycles ¼ HP10Stepper Motor with Digital Controller11Shaded Pole Motor		mounted with regulator, breaker, ammeter, voltmeter		
foundation bolts and flexible coupling. Shunt Motor rating : 5 HP, 440V AC Generator rating : 3-Phase, 4 wire, 3.5 KVA,4400/230 Volts, 0.8 pf, 50cyclesAC Squirrel Cage Motor with star delta starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase1 No.5,400 volts, 50 cycles1 No.6switch 5 HP, 400 volts, 3-phase, 50 cycles1 No.6switch 5 HP, 400 volts, 3-phase, 50 cycles1 No.7230V, 50 Hz1 No.8HP 230 volt 50 cycles1 No.9cycles ¼ HP1 No.10Stepper Motor with Digital Controller1 No.11Shaded Pole Motor1 No.		frequency meter, knife blade switch and fuses etc. Set		
foundation bolts and flexible coupling. Shunt Motor rating : 5 HP, 440V AC Generator rating : 3-Phase, 4 wire, 3.5 KVA,4400/230 Volts, 0.8 pf, 50cyclesAC Squirrel Cage Motor with star delta starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase1 No.5,400 volts, 50 cycles1 No.6switch 5 HP, 400 volts, 3-phase, 50 cycles1 No.6switch 5 HP, 400 volts, 3-phase, 50 cycles1 No.7230V, 50 Hz1 No.8HP 230 volt 50 cycles1 No.9cycles ¼ HP1 No.10Stepper Motor with Digital Controller1 No.11Shaded Pole Motor1 No.				
Shunt Motor rating : 5 HP, 440VAC Generator rating : 3-Phase, 4 wire, 3.5 KVA,4400/230 Volts, 0.8 pf, 50 cyclesAC Squirrel Cage Motor with star delta starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase5,400 volts, 50 cyclesAC phase-wound slip ring Motor with starter and switch 5 HP, 400 volts, 3-phase, 50 cyclesA.C. Series type Motor with mechanical load ¼ HP, 230V, 50 HzSingle Phase Capacitor Motor with starter switch 18HP 230 volt 50 cycles9cycles ¼ HP10Stepper Motor with Digital Controller11Shaded Pole Motor				
AC Generator rating : 3-Phase, 4 wire, 3.5 KVA,4400/230 Volts, 0.8 pf, 50cyclesAC Squirrel Cage Motor with star delta starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase1 No.5,400 volts, 50 cycles1 No.6switch 5 HP, 400 volts, 3-phase, 50 cycles1 No.6switch 5 HP, 400 volts, 3-phase, 50 cycles1 No.7230V, 50 Hz1 No.8HP 230 volt 50 cycles1 No.9cycles ¼ HP1 No.10Stepper Motor with Digital Controller1 No.11Shaded Pole Motor1 No.				
4400/230 Volts, 0.8 pf, 50 cyclesAC Squirrel Cage Motor with star delta starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase1 No.5,400 volts, 50 cycles		0		
AC Squirrel Cage Motor with star delta starter and triple pole iron clad switch fuse. 2 to 3 HP, 3-phase ,400 volts, 50 cycles1 No.5,400 volts, 50 cycles	4			
triple pole iron clad switch fuse. 2 to 3 HP, 3-phase5,400 volts, 50 cycles6AC phase-wound slip ring Motor with starter and switch 5 HP, 400 volts, 3-phase, 50 cycles1 No.6switch 5 HP, 400 volts, 3-phase, 50 cycles-7230V, 50 Hz1 No.7230V, 50 Hz-8HP 230 volt 50 cycles-9cycles ¼ HP1 No.10Stepper Motor with Digital Controller1 No.11Shaded Pole Motor1 No.			1 No.	
5,400 volts, 50 cyclesAC phase-wound slip ring Motor with starter and switch 5 HP, 400 volts, 3-phase, 50 cycles1 No.6switch 5 HP, 400 volts, 3-phase, 50 cycles1A.C. Series type Motor with mechanical load ¼ HP, 230V, 50 Hz1 No.7230V, 50 Hz18HP 230 volt 50 cycles19cycles ¼ HP110Stepper Motor with Digital Controller111Shaded Pole Motor1				
AC phase-wound slip ring Motor with starter and switch 5 HP, 400 volts, 3-phase, 50 cycles1 No.A.C. Series type Motor with mechanical load ¼ HP, 230V, 50 Hz1 No.Single Phase Capacitor Motor with starter switch 1 Universal Motor with starter/switch 230 volt, 50 cycles ¼ HP1 No.Universal Motor with Digital Controller1 No.Stepper Motor with Digital Controller1 No.11Shaded Pole Motor1 No.	5			
6switch 5 HP, 400 volts, 3-phase, 50 cyclesA.C. Series type Motor with mechanical load ¼ HP, 230V, 50 Hz1 No.7230V, 50 Hz1 No.8HP 230 volt 50 cycles1Universal Motor with starter/switch 230 volt, 501 No.9cycles ¼ HP110Stepper Motor with Digital Controller1 No.11Shaded Pole Motor1 No.	0		1 No	
A.C. Series type Motor with mechanical load ¼ HP, 230V, 50 Hz1 No.7230V, 50 Hz1 No.8HP 230 volt 50 cycles1 No.9cycles ¼ HP1 No.10Stepper Motor with Digital Controller1 No.11Shaded Pole Motor1 No.	6		1110.	
7230V, 50 HzSingle Phase Capacitor Motor with starter switch 11 No.8HP 230 volt 50 cyclesUniversal Motor with starter/switch 230 volt, 501 No.9cycles ¼ HP10Stepper Motor with Digital Controller1 No.11Shaded Pole Motor1 No.	0		1 No	
Single Phase Capacitor Motor with starter switch 11 No.8HP 230 volt 50 cyclesUniversal Motor with starter/switch 230 volt, 501 No.9cycles ¼ HP10Stepper Motor with Digital Controller1 No.11Shaded Pole Motor1 No.	7		1 110.	
8HP 230 volt 50 cyclesUniversal Motor with starter/switch 230 volt, 501 No.9cycles ¼ HP10Stepper Motor with Digital Controller1 No.11Shaded Pole Motor1 No.	1		1 No	
Universal Motor with starter/switch 230 volt, 501 No.9cycles ¼ HP10Stepper Motor with Digital Controller1 No.11Shaded Pole Motor1 No.	0	5 I	1 NO.	
9cycles ¼ HP10Stepper Motor with Digital Controller1 No.11Shaded Pole Motor1 No.	0		1 No	
10Stepper Motor with Digital Controller1 No.11Shaded Pole Motor1 No.	0		1 NO.	
11Shaded Pole Motor1 No.			1 N -	
12 Bath Impregnating 1 No.				
13 Oven Stove 1 No.				
ote: The items which are available in the market nearest of the specification as			st of the speci	fication as
ientioned above may be procured.				
l no. 3 to 13 for 4(2+2) units no additional items are required.	SI no.	3 to 13 for 4(2+2) units no additional items are req	uired.	

TOOLS AND EQUIPMENT NEEDED ADDDITIONAL TO EXISTING TOOLS LIST

SI. No.	Name of the items	Quantity	Remarks
	Synchronous motor 3 Phase, 3 HP, 415V, 50Hz,	1 no.	
1	4 Pole, with accessories.		
2	Lux meter	1 no.	

Syllabus for the Trade of "Electrician" Duration : Six Months

Fourth Semester Semester Code: ELE: SEM IV

Week No.	Trade Practical	Trade Theory
1-3	Machine control cabinet /Control Panel Layout, Assembly & Wiring:	Machine control cabinet /Control Panel Layout, Assembly & Wiring:
	Practice Layout drawing of control cabinet , panel, power & control circuits Preparing control cabinet / panel	Layout of Control cabinet & control panel
	 wiring for 1. Local & Remote control of Induction motor 2. Forward & Reverse operation of 	Study & Understand Layout drawing of control cabinet , panel, power & control circuits. Control Elements: Isolator,
	 Induction motor 3. Automatic Star Delta Starter 4. Automatic star delta starter with change of direction of rotation 5. Sequential control of three motors. 	pushbutton switches, Indicating lamps, MCB, Fuse, Contactor, Relays, Overload Relay, Timers, Rectifier, Limit switches, control transformers. Wiring Accessories: Race ways/
	Preparation of Control cabinet & panel : Necessary marking, cutting, filing, drilling, tapping etc.	cable channel, DIN Rail, Terminal Connectors, Thimbles, Lugs, Ferrules, cable binding strap & buttons, nylon cable ties, sleeves,
	Mounting of control elements & wiring Accessories: Isolator, pushbutton switches, Indicating lamps, meters, MCB, Fuse, Contactor, Relays, Overload Relay, Timers, Rectifier, Limit switches, control transformers, Raceways/cable channel, Terminal connectors etc.	Gromats & clips
	Wiring of control cabinet/panel: As per wiring diagram.	
	Bunching of wires & cables, channelling, tying etc.	
	Checking / buzzing the wiring.	
	Power connections & motor connection & testing.	

4-6	Repair & Test of Calling Bell, Buzzer, Alarms, Electric Iron, Heater, Light. Maintenance and repair of domestic equipments – Electric Kettle, Heater / Immersion Heater, Hot Plate, Oven, Geyser, Cooking range, Mixer, Washing machine, , Motor Pump set, etc.	Domestic Appliances: Working principles and circuits of common domestic equipment and appliances. – Calling Bell, Buzzer, Alarms, Electric Iron, Heater, Light Electric Kettle, Heater / Immersion Heater, Hot Plate, Oven, Geyser, Cooking range, Mixer, Washing machine, , Motor Pump set, etc. Concept of Neutral and Earth.
7	Practice on Thermal power plant simulator (free version) or Plant visit. To prepare layout plan, single line diagram of the Thermal power system of generation.	POWER GENERATION : Generation sources of energy, Comparison of energy resources. Types of fuels. Advantages of liquid fuel & solid fuel. Various ways of electrical power generation. • Thermal • Hydro electric • Nuclear • Non- Conventional Thermal Coal based, diesel based & Gas based Turbine. Constituents in steam power station.
8	Practice on Hydro power plant simulator (free version) or Plant visit. To prepare layout plan, single line diagram of the Hydro electric power system of generation.	Hydro Electric: Schematic arrangement of Hydro- Electric Power Station. Constituents of Hydro Electric Plant. Types of Hydro Electric Power station. Advantages & disadvantages.
9	Practice on Nuclear power plant simulator (free version) or Plant visit. To prepare layout plan, single line diagram of the Nuclear power system of generation.	Nuclear: Schematic arrangement of Nuclear Power Station. Composition of an atomic Nucleus. Advantages & disadvantages. Comparison of above Power Plant.

10-11	Practice on Non-conventional power	Non-Conventional
10-11	plant simulator (free version) or Plant	An introduction to Power
	visit.	generation through non-
	To prepare layout plan, single line	conventional power generation
	diagram of the non-conventional power	such as Solar, Bio-Gas, Wind
	system of generation.	energy and Micro-hydel, Tidal
		waves, etc. Basic principal,
		Advantages & disadvantages of
		each.
12	Identification and specification of	TRANSMISSION OF
	different type of insulator used in HT	ELECTRICAL POWER
	line.	
	Diadian of Dia terre in sulet 1	Electrical Supply System :
	Binding of Pin type insulator, shackle	Comparison of AC and DC
	type and suspension type insulators.	transmission. Advantages of High
	Fixing of jumper by crimping tool.	transmission voltage.
	Thing of jumper by ermiping toon	transmission voltage.
		Introduction to Single phase ,
		three phase-3 wire system in
		transmission lines
		Overhead Lines:
		Main components of overhead
		lines-Types of power line Low
		voltage line medium Voltage line
		& high voltage line Voltage
		standard Conductor materials,
		line supports, Insulators, types of
		Insulators
13	Skinning and dressing of cables.	Under Ground Cable :
	Straight joint of different types of	Construction of cables. Material
	underground cables.	for cables, its insulation.
		Classification of cables, cables for
	Test /check the insulation resistance of	3-phase service, Laying of
	cables by using megger.	underground cable. Types of
		cable faults and their location.
	Locating the faults (open circuit, short	cable faults and their focation.
	circuit & leakage) in cables.	
L		

14	To visit & prepare layout plan, single line diagram of Transmission /distribution Substation. Installation of bus bar and bus coupler on LT line. Replacement and testing of transformer oil.	 DISTRIBUTION OF POWER Function and equipment used in substation. Classification of distribution system-AC distribution, Overhead v/s underground distribution system. Essential features of switchgears. Isolator, Switch gear equipments, bus-bar arrangement, Short circuit, faults in power system. Circuit breakers – Introduction & Classification of circuit breakers lightening arrestors used in HT lines. 	
15-16	Speed control of DC motor : Connection, parameterization and speed control by Thyristor/ DC Drive.	Introduction, Construction & Working of power transistor, thyristor. Introduction, Construction, Working, Parameters & application of DC drive.	
17-18	Speed control of AC motor : -Uses of SCR and other modern semiconductor devices in controlling speed of motors and in changing the direction of rotation of motors. Connection, parameterization and speed control by AC Drive. Break down, Routine & Preventive maintenance of DC/AC machines,	Speed control of 3 phase induction motor by using VVVF/AC Drive. Introduction, Construction, Working, Parameters & application of AC drive Schedule of electrical preventive maintenance.	
	Voltage stabilizer, Inverter, U.P.S. & Equipments.	Break down, Routine & Preventive maintenance of DC/AC machines, Voltage stabilizer, U.P.S. & Equipments.	
22-23	Industrial visit / p		
24-25	NCVT EXAMIN	NATION	
26	Semester Gap		

CTS Fourth Semester: Electrician

SI.	Name of the items	Quantity	Remarks	
No.		_		
	Inverter- 1 KVA with 12 V Battery	1 No.		
	Input- 12 volt DC,			
1	Output- 220 volt AC			
	Domestic Appliances –			
	a. Electric Hot Plate 1500 watt	1 No.		
	b. Electric Kettle, 1500 watts	1 No.		
	c. Electric Iron 1500 watts	1 No.		
	d. Immersion Heater 1500 watt	1 No.		
	e. A.C. Fan	1 No.		
	f. Geyser (Storage type) 15 ltr minimum	1 No.		
2	g. Mixture & Grinder	1 No.		
	Thyristor /IGBT controlled D.C. motor drive with	1 No.		
3	tacho-generator feedback arrangement 1 HP			
	Thyristor/IGBT controlled A.C. motor drive with	1 No.		
4	VVVF control 3 Phase, 2 HP			
Note: The items which are available in the market nearest of the specification				
as mentioned above may be procured.				
Sl no. 1 to 4 for 4(2+2) units no additional items are required.				

SHOP TOOLS, INSTRUMENTS and MACHINERY

TOOLS AND EQUIPMENT NEEDED ADDDITIONAL TO EXISTING TOOLS LIST

SI. No.	Name of the items	Quantity
1	Pentium IV Computer or latest (Server- Linux), 2.8 GHz & above, 1 GB RAM, 80 GB HDD, DVD Combo Drive, 15/17" Monitor, optical scroll mouse, multimedia key board, 32 bit LAN card with UPP port, necessary Drivers, etc.	2 Nos.
2	Ink jet/ laser printer	1 No.
3	Washing Machine	1 No.
4	Motor Pump set 1 HP, 1 Phase, 240 V	1 No.
5	Pin Type, shackle type & suspension type insulators (Raw Material)	2 Nos. each